

# Scoop Outdoor Cabinets

These outdoor cabinets are ideal for applications where your expensive and sensitive network equipment is exposed to environmental factors such as dust and water.

The cabinets are manufactured from 2mm electro-galvanized, cold-rolled steel and are treated and powder-coated for corrosion resistance, making them ideal for many external applications such as high-sites and FTTX installations. Each cabinet comes with ceiling-mounted fans that pull hot air out of the cabinet and through the vents.

	CAB-42UO	CAB-25UO	CAB-18UO	CAB-15UO	CAB-12UO	CAB-9UO	CAB-6UO
Material	Electro-Galvanised, Mild Steel, Powder-Coated	Electro-Galvanised, Mild Steel, Powder-Coated	Electro-Galvanised, Mild Steel, Powder-Coated	Electro-Galvanised, Mild Steel, Powder-Coated	Electro-Galvanised, Mild Steel, Powder-Coated	Electro-Galvanised, Mild Steel, Powder-Coated	Electro-Galvanised, Mild Steel, Powder-Coated
Assembly	Supplied Assembled	Supplied Assembled	Supplied Assembled	Supplied Assembled	Supplied Assembled	Supplied Assembled	Supplied Assembled
Ceiling Mounted Fans	4	4	2	2	2	2	2
Weatherproof	✓	✓	✓	✓	✓	✓	✓
Colour	White	White	White	White	White	White	White
Number of Glands	8	8	8	3	3	3	3
Lockable Handles	X	X	✓	✓	✓	✓	✓
Dust Filter on Vents	✓	✓	✓	✓	✓	✓	✓
Wall Mountable	X	X	X	✓	✓	✓	✓
Length (mm)	2040	1330	999	830	695	560	425
Width (mm)	655	655	650	630	630	630	630
Depth (mm)	800	800	700	455	455	455	455
Gross Weight (kg)	178	130	98	33	29.55	29.75	24.85



CAB-42UO



CAB-25UO




CAB-18UO



CAB-15UO



CAB-12UO




CAB-9UO



CAB-6UO



1.



2.



3.



4.

1. Pad-Lockable Handle & Lock Cover

2. Double Walled for Increased Dust Protection

3. Solid Base Cable Entry

4. Cooling Vents

# Scoop Outdoor Cabinets Mounting Diagram

Below is the wall mounting guide for the CAB-6UO, CAB-9UO, CAB-12UO & CAB-15UO with drill hole locations .

